Supelco

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers Product name	:	Cadmium chloride monohydrate	
	Product Number Brand Index-No. REACH No. CAS-No.	: :	V001152 Vetec 048-008-00-3 A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline. 35658-65-2	
1.2	Relevant identified uses of the substance or mixture and uses advised against			
	Identified uses	:	Laboratory chemicals, Manufacture of substances	
1.3	Details of the supplier of the safety data sheet			
	Company	:	Merck Life Science UK Limited New Road	
			The Old Brickyard GILLINGHAM Dorset SP8 4XT UNITED KINGDOM	
	Telephone Fax		GILLINGHAM Dorset SP8 4XT	
1.4	-		GILLINGHAM Dorset SP8 4XT UNITED KINGDOM +44 (0)1747 833-000	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 2), H330 Germ cell mutagenicity (Category 1B), H340 Carcinogenicity (Category 1B), H350 Reproductive toxicity (Category 1B), H360 Specific target organ toxicity - repeated exposure (Category 1), H372 Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

Vetec- V001152

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 1 of 9

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 Pictogram Signal word Danger Hazard statement(s) Toxic if swallowed. H301 H330 Fatal if inhaled. H340 May cause genetic defects. H350 May cause cancer. H360 May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated H372 exposure. H410 Very toxic to aquatic life with long lasting effects. Precautionary statement(s) P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. P260 P264 Wash skin thoroughly after handling. Avoid release to the environment. P273 P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. Supplemental Hazard none Statements

Restricted to professional users.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula	:	CdCl2·H2O
Molecular weight	:	201.3 g/mol
CAS-No.	:	35658-65-2
EC-No.	:	233-296-7
Index-No.	:	048-008-00-3

Component	Classification	Concentration
Cadmium chloride monohydrate Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)		
	Acute Tox. 3; Acute Tox. 2; Muta. 1B; Carc. 1B; Repr. 1B; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H301, H330, H340, H350, H360, H372, H400, H410	<= 100 %



Page 2 of 9

Concentration limits:
>= 0.01 %: Carc. 1B,
H350; >= 7 %: STOT RE
1, H372; 0.1 - < 7 %:
STOT RE 2, H373;
M-Factor - Aquatic Acute:
10
M-Factor - Aquatic
Chronic: 10

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture Hydrogen chloride gas, Cadmium/cadmium oxides

5.3 Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information No data available

Vetec- V001152



Page 3 of 9

The life science business of Merck operates as MilliporeSigma in the US and Canada

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

- **6.3 Methods and materials for containment and cleaning up** Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
- **6.4** Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling
 Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Avoid exposure obtain special instructions before use.
 Provide appropriate exhaust ventilation at places where dust is formed.
 For precautions see section 2.2.
- **7.2** Conditions for safe storage, including any incompatibilities Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Ingreatentes with	mon apreses			
Component	CAS-No.	Value	Control parameters	Basis
Cadmium chloride monohydrate	35658-65- 2	TWA	0.001 mg/m3	Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
	Remarks	Carcinogen	s or mutagens	
		TWA	0.025 mg/m3	UK. EH40 WEL - Workplace Exposure Limits
		Capable of	causing cancer a	and/or heritable genetic damage.

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Vetec- V001152

Page 4 of 9

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Vetec- V001152



Page 5 of 9

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	•	•
a)	Appearance	Form: solid Color: colorless
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	964 °C at 1013 hPa
g)	Flash point	Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Relative density	No data available
n)	Water solubility	soluble
o)	Partition coefficient: n-octanol/water	No data available
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
Oth	er safety informatio	n

9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No data available

10.4 Conditions to avoid No data available

Vetec- V001152

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 6 of 9

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas, Cadmium/cadmium oxides In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity LD50 Oral - Rat - 88 mg/kg

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization No data available

Germ cell mutagenicity

In vivo tests showed mutagenic effects Human HeLa cell DNA damage Human lymphocyte Sister chromatid exchange

Rat DNA damage

Carcinogenicity Possible human carcinogen

Reproductive toxicity

Presumed human reproductive toxicant

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard No data available

Additional Information

RTECS: EV0190000

Acute inhalation exposure to cadmium fumes may cause "metal fume fever" with flu-like symptoms of weakness, fever, headache, chills, nausea, vomiting, dizziness, sweating, muscular pain, cough and difficulty breathing. Acute pulmonary edema may develop within 24 hours and reaches a maximum by three days. The first chronic effect of exposure to cadmium is generally kidney damage, manifested by excretion of excessive protein in the urine, followed by anemia, teeth discoloration and loss of smell. Cadmium also is believed to cause pulmonary emphysema and bone disease.

Vetec- V001152

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 7 of 9

SECTION 12: Ecological information

- 12.1 Toxicity No data available
- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Very toxic to aquatic life.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1	UN numb ADR/RID:	•	IMDG: 2570	IATA: 2570
14.2		CADMIUM COMPOU	ND (Cadmium chloride monohy ND (Cadmium chloride monohy d (Cadmium chloride monohyd	/drate)
14.3	Transpor ADR/RID:	t hazard class(es) 6.1	IMDG: 6.1	IATA: 6.1
14.4	Packagin ADR/RID:		IMDG: III	IATA: III
14.5	Environm ADR/RID:	no no	IMDG Marine pollutant: no	IATA: no
14.6	Special p No data av	recautions for use vailable	r	

Vetec- V001152

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 8 of 9

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H301 H330	Toxic if swallowed. Fatal if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H360	May damage fertility or the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Vetec- V001152





- : Cadmium chloride monohydrate
- : Cadmium chloride monohydrate